



MARINE ANTENNAS

SHAKESPEARE MARINE VHF ANTENNAS

Centennial™

Shakespeare

SINCE 1897

Part#

SHA5101 "GOOD QUALITY"

Description:

8' Length end-fed with matching stub, brass & copper elements, chrome plated brass ferrule with standard 1"-14 thread, one section, includes 15' RG-58 cable & a PL-259 connector

Part#

SHA5102 "BETTER QUALITY"

Description:

8' Length VHF collinear phased 5/8 wave, brass & copper elements, chrome plated brass ferrule with standard 1"-14 thread, one section, includes 15' RG-58 cable & a PL-259 connector

Part#

SHA5120



Description:

8' Length AM/FM antenna w/ brass & copper elements, chrome plated brass ferrule with standard 1"-14 thread, one section, includes 15' RG-58 cable & a Motorola connector

Part#

SHA5206C "ECONOMY VHF"

Description:

8' Length end-fed w/ matching stub, quality copper cable elements, chrome plated brass ferrule w/ 1"-14 thread, one section, includes 15' RG-58 cable & PL-259 connector, twin to 5205 & 5207 CB antennas

Part#

SHA5206N "ECONOMY VHF"

Description:

8' Length end-fed w/ matching stub, quality copper cable elements, nylon ferrule w/ 1"-14 thread, one section, includes 15' RG-58 cable & PL-259 connector, twin to 5205 & 5207 CB antennas

Part#

SHA5215 "SAILBOAT"

Description:

36" length, low profile end-fed 1/2 wave w/ stainless steel whip, hermetically sealed, tin plated copper wire coil, uses S0-239 connector includes stainless steel "L" bracket

Part#

SHA5215CX "SAILBOAT"

Description:

36" length, low profile end-fed 1/2 wave w/ stainless steel whip, hermetically sealed, tin plated copper wire coil, uses S0-239 connector includes stainless steel "L" bracket, 60' RG-8/X low-loss cable, & PL-259 connectors

Part#

SHA5240-R "SAILBOAT"

Description:

36" length, low profile end-fed 1/2 wave w/ heavy duty whip, sealed tin plated copper wire coil, one section, stainless steel whip, requires mount w/ center hole, includes 15' RG-58 cable & a PL-259 connector

Part#

SHA420 "Lift And Lay"

Description:

5' length center-fed 1/2 wave coaxial sleeve, brass & copper elements, one section, integral deck mount, includes 15' RG-58 cable & PL-259 connector

Part#

SHA396-1

Description:

5' length center-fed 1/2 wave co-axial sleeve, brass & copper elements, chrome plated brass ferrule w/ 1"-14 thread, one section, includes 15' RG-58 cable & PL-259 connector

MARINE ANTENNAS

SHAKESPEARE MARINE GALAXY VHF ANTENNAS



Shakespeare

SINCE 1897



Part#
SHA5400-XT **GALAXY**

Description:
"Little Giant" 4' VHF 3dB gain center fed 1/2" wave coaxial sleeve, one section, brass & copper elements, Includes: 20' RG-8/X cable & PL-259 connector

Max Power Input: 150 watts
SWR: nominally 1.5:1 at 156.8 MHz
Bandwidth: 3 MHz within 2.0:1 VSWR
Frequency: VHF Marine Band
DC Grounding: *No



Part#
SHA5225-XT **GALAXY**

Description:
8' VHF 6dB gain Collinear phased 5/8 wave, brass & copper elements, stainless steel ferrule w/ 1"-14 thread, includes 20' RG8/X cable & a PL-259 connector

Twin to: Galaxy® Style 5223 CB antenna
Max. Power Input: 150 watts
SWR: nominally 1.5:1 at 156.8 MHz
Bandwidth: 3 MHz within 2.0:1 VSWR
Frequency: VHF Marine Band
DC Grounding: *Yes
Polarization: Vertical
Impedance: 50 ohms



Part#
SHA5399 **GALAXY**

Description:
9' 6" VHF 6 dB gain Collinear phased 5/8 wave w/ two coaxial chokes to suppress cable radiation, brass & copper elements, stainless steel ferrule w/ 1"-14 thread, two sections: base 75", tip 39" ***mounting on radar arch or t-top not recommended**

Max. Power Input: 100 watts
SWR: nominally 1.5:1 at 156.8 MHz
Bandwidth: 3 MHz within 2.0:1 VSWR
Frequency: VHF Marine Band
DC Grounding*: Yes
Polarization: Vertical
Impedance: 50 ohms



Part#
SHA5018 **GALAXY**

Description:
17' 6" VHF 9 dB gain phased 1/2 wave in a collinear array w/ choking sleeve to suppress cable radiation, brass & copper elements, stainless steel ferrule w/ 1"-14 thread, two sections: base 105", tip 105", includes 20' RG-8/X cable & a PL-259 connector, * Pictured mount not included

Max. Power Input: 150 watts
SWR: nominally 1.5:1 at 156.8 MHz
Bandwidth: 3 MHz within 2.0:1 VSWR
Frequency: VHF Marine Band
DC Grounding: No
Polarization: Vertical
Impedance: 50 ohms

"EXTENSION MAST"

1-1/2" dia. stainless steel upper and lower ferrules w/ standard 1"-14 thread, one section, high quality white fiberglass construction to match Galaxy antennas



Part#	Description:
SHA5228-1	1'
SHA5228-2	2'
SHA5228-4	4'
SHA5228-8	8'

GALAXY



MARINE ANTENNAS

SHAKESPEARE MARINE SIRIUS, AM / FM, & TV ANTENNAS

Shakespeare

SINCE 1897



Part#
SHASRA-40 GALAXY

Description:
Digital Satellite Radio Antenna, 3.5" dia., Connect to any Sirius Satellite Radio receiver



Part#
SHASRA-25 GALAXY

Description:
Digital Satellite Radio Antenna, 3/4in H x 2 3/8in W x 2in L, No separate power cable required, Single-cable design for newer receivers



Part#
SHA4350
Description:

3' Combination AM/FM, permanently sealed coil in fiberglass, mount: lift & lay, one section, includes 10' RG-62 coax & a Motorola connector, 39' OAL



Part#
SHA4351
Description:

3' Combination AM/FM, w/ 1"-14 thread nylon ferrule, use standard marine mount, includes 15' RG-62 coax & a Motorola connector



Part#
SHA4353
Description:

For bass & ski boats or any smooth non metallic surface, permanent adhesive strip, 6' cable, micro-screen pattern, standard radio plug



Part#
POR382467
Description:

16" ball mount black AM/FM flex antenna, includes a ball mount for vertical adjustments when mounting to other than a horizontal surface

Part#
SHA2020-G
Description:



DIGITAL HD TV
SeaWatch

14" diameter omnidirectional marine tv antenna, includes: antenna w/ built in pre-amp, AC/DC power supply, 30' of ultra low loss RG-59 coax cable, & gold plated screw on "F" connectors, built in 1"-14 thread ferrule

Part#
SHA2030-G
Description:



DIGITAL HD TV
SeaWatch

21" diameter omnidirectional marine tv antenna, includes: antenna w/ built in pre-amp, AC/DC switchable power supply, 30' of ultra low loss RG-59 coax cable, & gold plated screw on "F" connectors, built in 1"-14 thread ferrule

"DIGITAL HDTV READY"

You do not need a new SeaWatch antenna to receive the new digital signals, now or in the future, if you own a 2020-G, 2030-G or the 2025. The antenna models already support the digital signals.

* IF YOU HAVE AN OLD ANALOG TV

1. Connect the coax cable from your SeaWatch antenna to a Digital TV converter box.
2. Connect the converter box to your TV, using the coax cable that comes with the box. It's that simple

* IF YOU HAVE A DIGITAL TV HD OR NOT

1. Connect the SeaWatch antenna's coax cable directly to the digital television. No converter needed



SHA4366 - SAILBOAT MAST MOUNT

MARINE ANTENNAS



SHAKESPEARE MARINE LORAN / CB ANTENNAS & EXTENSION MASTS



Part#
SHA173

Description:

4' Loran C/DGPS whip, top loaded fiberglass, chrome plated brass ferrule w/ standard loran c3/8"-24 thread, one section

** recommended by most GPS manufacturers for a differential beacon antenna*



Part#

"CB ANTENNA"

SHA5200

Description:

8' Length, center loaded, end-fed 1/2 wave, nylon ferrule, includes: 7' cable & PL-259 connector which can not be cut or altered but lengthened w/ suitable connectors

EXTENSION MASTS



Part#
SHA4364

Description:

1' long, 1" dia., white molded polycarbonate fittings w/ 1"-14 thread, male upper, female lower



Part#

"CB ANTENNA"

SHA5205

Description:

8' Length continuous load end-fed 1/2 wave, chrome plated brass ferrule w/ 1"-14 thread, includes: 7' cable & PL-259 connector which can not be cut or altered but lengthened w/ suitable connectors

EXTENSION MASTS

Lightweight, 1-1/2" dia., chrome plated brass ferrules, upper male, lower female, standard 1"-14 thread



Part# **Description:**

SHA4008-4 4' length

SHA4008-8 8' length

SHA4008-13 13' length

EXTENSION MASTS

1" dia., white molded polycarbonate fittings, standard 1"-14 thread, upper male, lower female,



an upper support bracket is needed

Part# **Description:**

SHA498 4' length

SHA499 8' length

STAINLESS STEEL EXTENSION MASTS

Heavy duty stainless steel with standard 1"-14 thread, male and female fittings




can be used with Galaxy antennas

Part# **Description:**


SHA4700-1 1' length

SHA4700-2 2' length

SHA4700-3 3' length



©1980-2003



©1980-2003



MARINE ANTENNAS

SHAKESPEARE ANTENNA MOUNTS & ACCESSORIES



Part#

SHA495

Description:

Lift & Lay design, Rugged polycarbonate construction, has 3/8"-24 thread brass insert, 1"-14 thread, handles antennas up to 8' length, leveling plate included for mounting to a sloping deck



Part#

SHA4186-U

Description:

Ratchet Mount, Standard 1" - 14 thread, bolt holes 5/16" dia., 2-7/8" X 1-13/16" on center, white solid nylon construction



Part#

SHA4721

"ECONOMY"

Description:

Ratchet Rail Mount, 9/32" hole for cable feed through, standard 1" - 14 thread, handles antennas up to 8' length, white nylon construction, fits on 7/8" or 1" rails



Part#

SHA4188-S

Description:

Ratchet Rail Mount, 9/32" hole for cable feed through, standard 1" - 14 thread, handles antennas up to 8' length, Stainless Steel, heavy duty construction for rails of 7/8" and 1" outside dia.



Ratchet Mount, 9/32" New slotted cable feed, Standard 1" - 14 thread, bolt holes 5/16" dia., 3" X 1-1/2" on center, stainless steel construction

Part#

SHA4187

Description:

Standard

SHA4187-HD

Heavy Duty



Part#

SHA4190

Description:

Ratchet Rail Mount, 9/32" hole for cable feed through, standard 1" - 14 thread, handles antennas up to 8' length, stainless steel construction



Part#

SHA5187

Description:

Ratchet Mount, Sleek and classy, Five degree teeth for finer adjustments than standard ratchet mounts. Versatile - adjusts for slanted surfaces. Bolt holes: 5/16in dia., 3in x 11/2in on center Standard 1in-14 thread.(male)

Part#

SHA418

Description:

Round shim kit. Set of two durable, yet flexible, rubber shims for Shakespeare Style 4365 stainless steel 4-in, straight mount with round flange



Part#

SHA414

Description:

Rectangular shim kit. Set of two durable, yet flexible, rubber shims for Shakespeare 4-in. ratchet mounts with rectangular base

MARINE ANTENNAS

SHAKESPEARE ANTENNA MOUNTS & ACCESSORIES



Shakespeare
SINCE 1897



Part#
SHA408-R

Description:

Upper bracket w/ molded plastic, for 1" (w/ included insert) or 1/2" diameter antennas or extension masts, easy-open design for quick laydown, corrosion resistant



Part#
SHA4720

Description:

Rail Mount, standard 1" - 14 thread, nylon adapters included for 7/8", 1", & 1 1/4" vertical or horizontal rails, Stainless steel construction



Part#
SHA4365

Description:

Straight Mount, 4" high, stainless steel construction, standard 1" - 14 male threads, excellent for Marine TV antennas, may be used with Style 4364 Extension Mast (1')



Part#
SHA4710

Description:

Flange Mount, Low profile 1" high, stainless steel construction, standard 1" - 14 male threads, great for GPS, Marine TV, and shorter antennas



Part#
SHA4711

Description:

Flange Mount, Low profile 1" high, white nylon construction, standard 1" - 14 male threads, great for GPS, Marine TV, and shorter antennas



Part#
SHA81-S

Description:

Swivel Mount, stainless steel construction, standard 1"-14 threads, base is dual joint & free pivoting



Part#
SHA4705

Description:

1"-14 Thread pipe adaptor, attaches easily with set screws (included) onto any 1" pipe



Part#
SHA4191

Description:

Stand Off extension, Adjustable length: 3" to 8", stainless steel construction, mounting hole pattern matches Shakespeare Upper support brackets, versatile applications - mounting plates rotate around center shaft